

	Type	Hits	Search Text	DBs
87	BRS	2126	345/87.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	1032	345/204.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	335	353/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	662	353/122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	381	(710/72-73).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	423	(348/744-745).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	207	(345/1.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	1384	(345/156).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	1184	(345/157).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	879	(349/5).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	446	(713/320).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
98	BRS	27222	345/87.ccls. or 345/204.ccls. or 353/30.ccls. or 353/122.ccls. or ((710/72-73).ccls.) or ((348/744-745).ccls.) or ((345/1.1).ccls.) or ((345/156).ccls.) or ((345/157).ccls.) or ((349/5).ccls.) or ((713/320).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	19771	(serial adj2 interface) or (serial adj2 link)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	2246	(USB or "Universal Serial Bus") and ((serial adj2 interface) or (serial adj2 link))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	118	345/87.ccls. or 345/204.ccls. or 353/30.ccls. or 353/122.ccls. or ((710/72-73).ccls.) or ((348/744-745).ccls.) or ((345/1.1).ccls.) or ((345/156).ccls.) or ((345/157).ccls.) or ((349/5).ccls.) or ((713/320).ccls.) and ((serial adj2 interface) or (serial adj2 link)) and ((USB or "Universal Serial Bus") and ((serial adj2 interface) or (serial adj2 link)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
102	BRS	4	((projection adj2 display) or (image adj2 projection)) and ((345/87.ccls. or 345/204.ccls. or 353/30.ccls. ot 353/122.ccls. or (710/72-73).ccls.) or (348/744-745).ccls.) or (345/1.1).ccls.) or (345/156).ccls.) or (345/157).ccls.) or (349/5).ccls.) or (713/320).ccls.)) and ((serial adj2 interface) or (serial adj2 link)) and ((USB or "Universal Serial Bus") and ((serial adj2 interface) or (serial adj2 link))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	29	((projection adj2 display) and (USB or "Universal Serial Bus"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	8673	peripheral adj equipment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	182	mouse adj2 connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	BRS	0	(USB or "Universal Serial Bus") and (mouse adj2 connection) and "SN 09695152"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	BRS	101283	I/O	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	BRS	32	(mouse adj2 connection) and I/O	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20030930	8	Electronic image projection device	US 6626543 B2	353/119	353/71
2	20030902	29	Method and apparatus for entering data using a virtual input device	US 6614422 B1	345/168	345/156; 345/158; 345/169; 345/173
3	20030506	14	Web-enabled presentation device and methods of use thereof	US 6560637 B1	709/204	709/218; 709/219
4	20030325	35	Display control apparatus and display control system for switching control of two position indication marks	US 6538675 B2	345/856	345/157; 345/642; 345/764; 345/769
5	20030128	41	Methods for enhancing performance and data acquired from three-dimensional image systems	US 6512838 B1	382/106	382/293
6	20021210	27	Multi-screen display system and method	US 6493008 B1	345/840	
7	20020813	23	Multiple-surface display projector with interactive input capability	US 6431711 B1	353/69	353/28
8	20020402	48	Providing interactions between simulated objects using force feedback	US 6366272 B1	345/156	463/37
9	20020212	13	Interactive display presentation system	US 6346933 B1	345/157	345/158; 348/744; 353/121; 353/42
10	20000815	36	Portable internet-enabled controller and information browser for consumer devices	US 6104334 A	341/175	340/825.24; 340/825.72; 341/176; 345/169; 348/734

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
11	20000222	50	Method and apparatus for providing simulated physical interactions within computer generated environments	US 6028593 A	345/156	463/37
12	19990629	7	Cursor control system with multiple pointing devices	US 5917472 A	345/157	345/158; 345/163
13	20030710	1	Projection helper has A/D converters for converting microphone audio into audio data for speaker output	WO 2003056435 A		
14	20010502	19	Projection display apparatus showing an image that is controlled by a control device connected to external peripheral equipment in order to improve the operating performance	EP 1096366 A		

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2	5712658.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1153	projector and (remote adj control)	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	105	345/\$.ccls. and 2	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	88584	(host adj computer) or (control adj computer)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	19	3 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	5230	projection adj display	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	112486	remote adj control\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	484	345/158.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L11	764	348/734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L12	11	6 and 7 and (8 or 11)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L13	2	5724106.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L15	10981	353/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L16	547	6 and 15	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L17	40	2 and 16	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L18	196	2 and 15	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L19	66	14 and 15	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L20	40	2 and 19	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
18	BRS	L21	46273	image near project\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L22	390	2 and 21	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L23	51985	345/\$.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L24	61	22 and 23	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L25	55	21 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L26	8784	projector and computer	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L27	955	23 and 26	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L28	37	14 and 23	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L29	89	2 and 6	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L30	2	5515079.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L14	166	6 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L31	99	6 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L32	41897	display adj control	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L33	349	26 and 32	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L34	118	23 and 33	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L35	64	21 and 34	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L36	259	348/744.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L37	115	27 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
36	BRS	L38	65	21 and 37	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L39	353	USB adj hub	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L40	9652	USB or (Universal adj Serial adj Bus)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L41	0	2 and 39	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L42	14	2 and 40	USPAT; EPO; JPO; DERWENT; IBM_TDB